

**Gas Membrane Experience List**  
**Dated June 2009**

DATE	CUSTOMER	APPLICATION	MEMBRANE TYPE	LOCATION	FEED Gas			PRODUCT SPECIFICATION
					FLOW (MMSCFD)	COMPOSITION	PRESSURE	
22/12/2005	XTO Energy	CO <sub>2</sub>	CA	West Texas	2.5-5.0	54.88% CO <sub>2</sub>	580 psig	< 6.0% CO <sub>2</sub>
10/05/2006	Whiting Petroleum	CO <sub>2</sub>	CA	West Texas	3.0-6.0	30% CO <sub>2</sub>	800 psig	<3.0% CO <sub>2</sub>
17/05/2006	Whiting Petroleum	CO <sub>2</sub>	CA	West Texas	45	94.0% CO <sub>2</sub> 2000 ppm H <sub>2</sub> S	394-540 psia	< 10.0% CO <sub>2</sub> <150 ppm H <sub>2</sub> S
18/08/2006	Opex Energy	CO <sub>2</sub>	CA	West Texas	1-1.5	4.00% CO <sub>2</sub>	800 psia	< 2.0% CO <sub>2</sub>
09/10/2006	Kinder Morgan	CO <sub>2</sub>	CA	West Texas	220	88.174% CO <sub>2</sub>	414-589 psia	< 10.0% CO <sub>2</sub>
28/11/2006	CNX Gas (Greenhill, Marshall, and Fallowfield)	CO <sub>2</sub>	CA	Pennsylvania	10.0-15.0	10.00% CO <sub>2</sub>	1020 psia	<1.25% CO <sub>2</sub>
02/04/2007	Texican Oil Ltd.	CO <sub>2</sub> , H <sub>2</sub> S, H <sub>2</sub> O	CA	Colombia	6.25	0.024% H <sub>2</sub> S 6.94% CO <sub>2</sub> H <sub>2</sub> O saturated	450 psia	<2.0% CO <sub>2</sub> < 4 ppm H <sub>2</sub> S < 7 lbs. H <sub>2</sub> O /MMSCF
12/10/2007	XTO Energy	CO <sub>2</sub>	CA	West Texas	26.7	75.70 CO <sub>2</sub>	565 psia	< 25.0% CO <sub>2</sub>
29/11/2007	Pan American Energy	CO <sub>2</sub>	CA	Argentina	1.1	20.00 CO <sub>2</sub>	77 kg / cm <sup>2</sup>	< 2.0% CO <sub>2</sub>
24/04/2008	Occidental of Elk Hills	CO <sub>2</sub>	CA	California	150	3.0% CO <sub>2</sub>	900 psia	< 1.5% CO <sub>2</sub>
24/04/2008	Hudson Hope Gas	CO <sub>2</sub>	CA	BC, Canada	4	16.0% CO <sub>2</sub>	1015 psia	< 2.0% CO <sub>2</sub>
15/10/2008	PDVSA Bitor	CO <sub>2</sub>	CA	Venezuela	20	12.5% CO <sub>2</sub>	600 psia	< 6.5% CO <sub>2</sub>
2/25/2009	Whiting Petroleum	CO <sub>2</sub>	CA	West Texas	20	94.0% CO <sub>2</sub> 2000 ppm H <sub>2</sub> S	394-540 psia	< 10.0% CO <sub>2</sub> <150 ppm H <sub>2</sub> S

YEAR	CUSTOMER	PROJECT	No. MIXERS	DIMENSION (Inches)	APPLICATION
2008	Tecnicas Reunidas	PDO Oman	1	54"	Gas mixing
2007	Statoil	K-Lab	1	12"	Liquid injection
2007	Statoil	Veslefrikk B	1	12"	H <sub>2</sub> S scavenging
2007	Total Austral	Aguada San Roque - Neuquén	1	10"	H <sub>2</sub> S scavenging
2006	Statoil	Kvitebjørn	1	18"	H <sub>2</sub> S scavenging
2005	Statoil	Statfjord Late Life	2 2	10" 16"	H <sub>2</sub> S scavenging
2005	Statoil	Snorre A	1	10"	H <sub>2</sub> S scavenging
2005	BP	Sangachal Terminal Azerbaijan	1 1	18" 24"	H <sub>2</sub> S scavenging
2005	Norsk Hydro	Brage	1	16"	H <sub>2</sub> S scavenging
2004	Talisman Energy	Claymore A	2	18"	H <sub>2</sub> S scavenging
2004	INAGIP	IKA Field	1	6"	H <sub>2</sub> S scavenging
2004	BP	Rhum Project	1	16"	H <sub>2</sub> S scavenging
2003	Statoil	Gulfaks C	2	10"	H <sub>2</sub> S scavenging
2003	PTT E & P	Bongkot Phase 3C SPP	2	24"	H <sub>2</sub> S scavenging
2003	Statoil	Gulfaks A	1 2	10" 16"	H <sub>2</sub> S scavenging
2003	Mærsk	Gorm C	1	8"	H <sub>2</sub> S scavenging
2003	Statoil	Kristin	2	18 "	H <sub>2</sub> S scavenging
2002	PTT E & P	Bongkot Phase 3C WP13	2	20"	H <sub>2</sub> S scavenging
2002	Statoil	Gulfaks B	1	8"	H <sub>2</sub> S scavenging
2002	Statoil	Huldra	1	14"	H <sub>2</sub> S scavenging
2001	Statoil	Veslefrikk	1	8"	H <sub>2</sub> S scavenging
2001	Statoil	H <sub>2</sub> S Scavenger program	2	2"	H <sub>2</sub> S scavenging
2000	Statoil	Åsgard B	2	2 x 24"	H <sub>2</sub> S scavenging

**Oil Treatment Experience List**  
**Dated June 2009**

<b>CUSTOMER</b>	<b>LOCATION</b>	<b>RATES</b>	<b>API</b>	<b>EQUIPMENT DESCRIPTION</b>
Atlantia Offshore Limited	Gulf of Mexico, Offshore US	6.0 MM SCFD 50,000 BOPD 5,000 BWPD	19.41	(1) 14' dia. x 50' Double Ended Mechanical - Electrostatic Coalescer / Oil Surge Tank
INTERSTATE TREATING, INC. - KOC	Kuwait	90,000 SCFD 12,500 BOPD 751 BWPD	57.17	(2) 6' dia. x 15' First Stage Mechanical - Electrostatic Desalters
		90,000 SCFD 12,500 BOPD 638 BWPD		(2) 6' dia. x 15' Second Stage Mechanical - Electrostatic Desalters
SBM - Single Buoy Mornings Inc. - Shell International E&P, Inc.	Offshore Brazil (FPSO)	4.38 MM SCFD 51,928 BOPD 453 BWPD	18.1	(1) 11.48' dia. x 49.21' Production Separator Train A
		497,513 SCFD 19,926 BOPD 13,435 BWPD	22.2	(1) 9.18 dia. x 33.79' Production Separator Train B
		980,618 SCFD 82,270 BOPD 10,416 BWPD	25.1	(1) 12.80 dia. x 47.57 Production Separator Train C
		5.85 MM SCFD 54,646 BOPD 14,039 BWPD	19	(1) 12.80 dia. x 47.57 2nd Stage Separator Train A
		965,362 SCFD 20,530 BOPD 11,925 BWPD	22.8	(1) 9.84 dia. x 34.45 2nd Stage Separator Train B

<b>CUSTOMER</b>	<b>LOCATION</b>	<b>RATES</b>	<b>API</b>	<b>EQUIPMENT DESCRIPTION</b>
		3.01 MM SCFD 89,365 BOPD 25,964 BWPD	25.8	(1) 11.81 dia. x 49.21 2nd Stage Separator Train C
		7.08 MM SCFD 755 BOPD 15,473 BWPD	25	(1) 11.81 dia. x 49.21 2nd Gas Separator
		61,741 BOPD 13,737 BWPD	15.2	(1) 14.76' dia. x 59.71' Double Ended Mechanical – Electrostatic Coalescer
		108,386 BOPD 24,159 BWPD	19.1	
<b>Helix Energy Solutions</b>	Gulf of Mexico, Offshore US	5.89 MM SCFD 62,353 BLPD 53,000 BOPD 9,353 BWPD	31.14	(1) 6' dia. x 20' Oil Degasser  (1) 10' dia. x 32' Double Ended Mechanical – Electrostatic Treater
<b>Bonatti – Groupement Sonatrach / Agip</b>	Algeria	60,608 BOPD 5,556 BWPD	50.2	(1) 10' dia. x 32' First Stage Mechanical – Electrostatic Desalter
		60,608 BOPD 3,091 BWPD		(1) 10' dia. x 32' Second Stage Mechanical – Electrostatic Desalter
<b>Al-Rashed / Processes Unlimited – Kuwait Oil Company</b>	Kuwait	120,800 BOPD 80,533 BWPD	28.7 -32	(1) 15' dia x 86'-4" Three Phase Double Ended LP Separator
		70,000 BOPD 17,500 BWPD		(2) 50MM BTU/hr Direct Fired Convection Heaters
		60,300 BOPD 6,700 BWPD		(2) 13' dia x 60'-4" Three Phase Double Ended Electrostatic Dehydrator

<b>CUSTOMER</b>	<b>LOCATION</b>	<b>RATES</b>	<b>API</b>	<b>EQUIPMENT DESCRIPTION</b>
		60,300 BOPD 60 BWPD		(2) 13' dia x 54'-4" Two Phase Double Ended Electrostatic Desalter
<b>BE&amp;K Construction Company, LLC (Hunt Refinery)</b>	Tuscaloosa, Alabama, USA	20,500 BOPD	17.5-	(1) 12' x 38' Double Ended Electrostatic
		1,173 BWPD 32,000 BOPD 1,759 BWPD	18.9	Desalters
<b>AL FURAT PETROLEUM.</b>	Syria		36	(2) 11' x 60' Thermal Electrostatic Desalters
<b>ASTRA</b>	Argentina		19-26	Design 10' x 25' FWKO / Flow Splitter
<b>BENTON / VINCLER</b>	Uracoa / Temblador, Venezuela		15	Design for (1) 11' dia. x 50' FWKO Design for (1) 11' dia. x 60' Mechanical Heater Treater (2) 13-1/2' dia. x 80' FWKO / Splitter (3) 13-1/2' dia. x 80' S/S FWKO (5) 12' dia. x 60' Mechanical Heater Treaters
<b>BRIDAS - ARGENTINA</b>	Russia		33	Design for (4) 10' x 30' Electrostatic Treaters with Vertical Grids
<b>BRITISH PETROLEUM</b>	Venezuela		17	(2) 11' x 60' FWKO's (2) 12' x 60' Oil Treaters
<b>CERRO NEGRO, VENEZUELA</b>	Guarenas, Venezuela		16.6	(1) 12' x 60' Slop Oil Heater Treater
<b>CHEVRON USA</b>	Lost Hills, CA		27	(1) 10' x 48' FWKO Modification
	Gulf of Mexico		32	(1) 10' x 30' Treater, Horizontal Grids, Heated
<b>CHEVRON VENEZUELA</b>	Maracaibo, Venezuela		19	(4) 3' x 12' Vertical Degasser w/ 12' x 60' Horizontal Separator Vessel
<b>CHEVRON-TEXACO, KZAKHSTAN</b>	North Buzachi, Kazakhstan		19	(1) 10' x 50' Thermal Mechanical Treater (1) 10' x 50' Double Ended Electrostatic Desalter
<b>COMMUNITY OF INDEPENDENT STATES</b>	Orenburgh, Russia		45	(1) 10' dia. X 40' FWKO (1) 10' dia. X 50' Electrostatic Treater
	Odenburgh, Russia		45	(1) 10' dia. X 30' FWKO (1) 10' dia. X 30' Electrostatic Treater
	Kumkol/Kazakhstan		40	(1) 10' dia. X 40' FWKO (1) 10' dia. X 40' Electrostatic Treater

<b>CUSTOMER</b>	<b>LOCATION</b>	<b>RATES</b>	<b>API</b>	<b>EQUIPMENT DESCRIPTION</b>
ELF EXPLORATION	Eugene Island 184 Gulf of Mexico Platform		33	2 10' x 30' Thermal Electrostatic Treater with Vertical Grids
EXXONMOBIL CHAD	Kome Gathering Station, Chad		14.53	Designed and Supplied Internals for (2) 95' dia. First Stage Oil Treating Tanks
			14.78	Design and Supplied Internals for (2) 77' dia. Second Stage Oil Treating Tanks
	Miandoum Gathering Station, Chad		20.27	Design and Supplied Internals for (2) 77' dia. Oil Treating Tanks
EXXON COMPANY USA.	Formax Lease		14	(1) 12' dia. x 50' Thermal Mechanical Treater (1) 8' dia. X 20' Hi Pressure Separator
FELS SETAL	Marlim Sul Field Development, Offshore Brazil, P-51		20.5	(1) 10.5' x 31.5' Test Separator (2) 15.5' dia. x 46.5' Production Separator (2) 13' dia. x 39' Atmospheric Separator
JANNAH HUNT OIL CO.	Yemen		38	2 Stage Desalting 8' Dia. x 30' Vessels Horizontal Grids (Packaged)
LASMO PETROLEUM.	Bogota, Colombia		32	Designs for (1) Gas Boot and (1) 100' dia. Tank System for Oil Treating
MAXUS VENEZUELA (C.I.) LTD.	Quiriquire Field, Venezuela		21-22	(1) 10' x 40' FWKO / Thermal Mechanical Treater
			18.2	(2) 10' dia. x 60. Thermal Mechanical Treaters
MOBIL OIL CORPORATION.	AFS, CA		11	(4) 12' x 60' Treaters (1) 13-1/2' x 80' FWKO
	Moco, CA		12	(8) 12' x 60' Treaters (2) 13-1/2' x 80' FWKO's
	Lost Hills, CA		20	(1) 12' x 60' FWKO (3) 10' x 60' Treaters
		Belridge, CA		13
	Finley Lease		11	(1) 13-1/2' x 80' x 90 PSIG FWKO
	Lost Hills, CA		22	(1) Natco 10' x 30' Treater to HRI Design (Retrofit)
	Belridge, CA		13	(2) Natco 13-1/2' x 80' FWKO to HRI Design (Retrofit)
	San Ardo Lease		13	(1) 13-1/2' x 80' x 75 PSIG FWKO
	Lost Hills, CA		20	(1) 12' x 60' FWKO / Matrix Parts
Gulf of Mexico		35	(2) 8' OD x 25' s/s Treater, Vertical Grids, Heated	

<b>CUSTOMER</b>	<b>LOCATION</b>	<b>RATES</b>	<b>API</b>	<b>EQUIPMENT DESCRIPTION</b>
	Gulf of Mexico		35	(1) 10' OD x 35' s/s Treater, Vertical Grids, Unheated (All Treaters are Mechanical)
	Sante Fe Springs Lease		24	(1) 10' x 50' Superior FKWO to HRI Design (Retrofit)
<b>MURPHY OIL COMPANY LTD.</b>	Blackfoot		11	(1) 10' dia. X 70' Thermal Electrostatic Treater
<b>NATIONS ENERGY COMPANY</b>	Karazhanbas, Kazakhstan		19	(2) 10' dia. X 60' Heated FWKO (2) 10' dia. X 60' FWKO Electrostatic Desalters Retrofitted (6) existing 12' dia. x 80' Separators with sand jet and sand dump systems
<b>NORCEN EXPLORATION</b>	Gulf of Mexico, Ship Shoal 202A		33	(1) 8' x 20' Thermal Electrostatic Treater with Horizontal Grids
<b>OCCIDENTAL - COLOMBIA</b>	Bogota, Colombia		32	(1) Design and Supply Internals for 150' dia. Oil Treating Tank
<b>OCCIDENTAL INT'L EXP. &amp; PROD. CO.</b>	Ecuador		23.9	(2) Desalter Trains (2) 10' x 40' Electrostatic Desalters with Vertical Grids (2) 10' x 50' Thermal Mechanical Treaters (2) 10' x 50' FWKO's (1) 10' ID x 65' 2-Stage Thermal Electrostatic Desalter with Vertical Grids
	Oman		23.9 38	Modify (2) 10' x 50' Existing Treaters into FKWO's (1) 10' ID x 65' s/s 2-Stage Desalter, Vertical Grids, Heated
	Peru		12 - 24	(2) 10' x 60' S/S Desalters, Vertical Grids, Unheated (9) 10' x 40' S/S Desalter, Horizontal Grids, Unheated (1) 10' OD x 60' S/S Desalter, Vertical Grids, Unheated
<b>OXY VAN YOGAN</b>	Siberia, Russia		5.0MM SCFD	(1) 12' x 22' Gas Lift Conditioning Skid and Enclosure for 5 MMSCFD Including Heater, Scrubber, and Glycol Injection Pump
<b>OXY VENEZUELA</b>	Alpuf, Venezuela Alturitas II - Maracaibo, Venezuela		20.3 18	(1) 10' x 30' Thermal Mechanical Treater Packaged (1) 11' dia. x 60' FWKO (3) 11' dia. x 60' Treater (Heated & Electrostatic)

<b>CUSTOMER</b>	<b>LOCATION</b>	<b>RATES</b>	<b>API</b>	<b>EQUIPMENT DESCRIPTION</b>
<b>PEREZ COMPANC de VENEZUELA</b>	Oritupano - Leona, Venezuela ZED-1		22-28	(1) 13' dia. x 30' 3 Phase Separator (1) 13' dia. x 60' Mechanical Heater Treater
	Oritupano - Leona, Venezuela ZED-4		22-28	(1) 12' dia. x 24' 3 Phase Separator (1) 12' dia. x 46' Mechanical Heater Treater
	Oritupano - Leona, Venezuela PTCA		22-28	(1) 10' dia. x 30' 3 Phase Separator (1) 10' dia. x 60' Mechanical Heater Treater
<b>PETRO MARINE</b>	Tatham Platform, Gulf of Mexico		35	(1) 12' x 50' Thermal Mechanical Treater
<b>PETROBRAS NETHERLANDS B.V.</b>	Fazenda Alegre		35	(1) 12' x 50' 3 Phase Separator (1) Sand Pan / Jet System
	Jubarte Field Development, Offshore Brazil, P-34		17.1	(1) 8' dia. x 20' Flash Vessel (1) 13' dia. x 40' Double Ended Electrostatic Dehydrator
<b>PHILLIPS PETROLEUM</b>	South China Sea		33.1	(2) 12' x 45' Desalters (2) 12' x 50' Desalters (1) 8' x 25' Treater, Vertical Grids, Unheated
<b>RYX ENERGY COMPANY</b>	Neley, Ventura, CA		10.5	(2) 10' x 45' Natco Treaters (2) 12' x 60' Hotco Treaters (1) 12' x 60' FWKO (To HRI Design - Retrofits)
	Kazakhstan		28.4	(1) 8' x 20' FWKO (1) 10' x 40' Oil Treater (1) 10' x 30' Desalter
<b>SANTE FE ENERGY</b>	Fellows, CA		11	(2) 10' x 45' Natco Treaters to HRI Design (Retrofit)
			11	(2) 12' x 60' Thermal Mechanical Treaters (4) 6 MM BTU/Hr. Low NOx Burners
<b>SHEA HOMES</b>	La Brea, CA		24.6	(2) 10' dia. x 30' FWKO / Electrostatic Dehydrator
<b>SHELL WESTERN E&amp;P INC.</b>	Mecca/Rambler Lease, Bakersfield CA		14	(2) 12' x 70' x 150 PSIG FWKO
	Wier Lease		11	(2) 12' x 80' Mechanical Treater
<b>TANNEHIL OIL COMPANY</b>	Maricopa, CA		12	(1) 10' x 17' Natco FWKO to HRI Design (Retrofit)
<b>TEIKOKO O.I.</b>	El Tigre, Venezuela		32.7	(1) 8' x 25' Thermal Mechanical Treater (1) 8' x 30' Thermal Mechanical Treater (1) 10' x 35' Thermal Mechanical Treater
<b>TEXACO</b>	Gulf of Mexico Platform		32	(1) 12' x 105' Thermal Electrostatic Treater with Vertical Grids

<b>CUSTOMER</b>	<b>LOCATION</b>	<b>RATES</b>	<b>API</b>	<b>EQUIPMENT DESCRIPTION</b>
			33	(2) 10' x 30' Thermal Electrostatic Treaters with Vertical Grids, Heated
	Offshore, Louisiana		32	(1) 10' x 35' Thermal Mechanical Treater
<b>TEXACO NORTH BUZACHI INC.</b>	Arman Field, Kazakhstan		19	10' dia. x 60' FWKO / Thermal Electrostatic Treater (1) 10' x 50' Thermal Mechanical Treater
			19	(1) 10' x 50' Double Ended Electrostatic Desalter
<b>TRINMAR LIMITED</b>	Point Fortin, Trinidad		14.8	(1) 10' dia. x 54' Thermal Mechanical Treater
<b>TRIVENI PLENTY (ONGC)</b>	New Delhi, India		38-40	(2) 12' x 60' Thermal Electrostatic Treaters with Vertical Grids
			32	(1) 6' x 20' Thermal Electrostatic Treater with Vertical Grids
<b>UNION PACIFIC RESOURCES</b>	Wilmington, CA		23	(1) 12' x 100' Double Ended Mechanical Treater
<b>UNION TEXAS</b>	Pakistan		45	(1) 8' dia. x 30' Thermal Electrostatic Treater
<b>UNOCAL CORPORATION</b>	Gamble Lease, McKittrick, CA		12	10' x 60' Natco FWKO To HRI Design (Retrofit)
	Mandalay Lease, Ventura, CA		22	(1) 10' x 68' Trico FWKO to HRI Design (Retrofit)
	Midway Northern, Maricopa, CA		13	(1) 10' x 40' Mechanical Treater
	McKittrick Fee & Wellport Lease, CA		15	(1) 2500 Bbl & (1) 5000 Bbl Special Water Clarifier Treating Tanks
	Santa Maria, CA		14-15	(3) 12' x 60' Natco Treater to HRI Design (Retrofits)
	Bremmer Lease, Fellows, CA		11	(1) 12' x 60' Natco Treater to HRI Design (Retrofit)
<b>UNOCAL CORPORATION</b>	McKittrick Fee Lease, CA		12	(1) 10' x 60' Natco Treater to HRI Design (Retrofit)
	Brimmer Lease, Fellows, CA		11	(2) 10' x 60' Treaters (2) 10' x 60' FWKO's (To HRI Design Retrofit)
<b>VINCCLER OIL &amp; GAS C.A.</b>	Est. Falcon, Venezuela		29.7	(1) 70.5" dia. x 20' 3 Phase High Pressure Separator (1) Heat Exchanger Skid (1) 12' dia. x 30' Thermal Mechanical Treater
<b>YPF</b>	Argentina - Mendoza		36	(1) 8' dia. x 40' Treater Package.(Heated)
	Argentina - Mendoza		36	(1) 8' dia. x 40' Desalter Package. (Electro-static)

**CUSTOMER****LOCATION****RATES****API****EQUIPMENT DESCRIPTION**

TOGETHER CREATING PURE OIL, GAS AND WATER

**Proprietary Oil Treatment (ProMix Application)****Dated June 2009**

<b>YEAR</b>	<b>CUSTOMER</b>	<b>PROJECT</b>	<b>NO. MIXERS</b>	<b>DIMENSIONS</b>	<b>APPLICATION</b>
2009	ProSep Tech / KOC	KOC Ratqa and Abdali North Kuwait	2 x 12"	2 x 12"	ProSalt: optimisation of crude desalting
2009	Saudi Aramco	UGOSP	1 x 24"	1 x 24"	Optimisation of demulsifier
2009	Pemex	Terminal Maritima Dos Bocas	2 x 24"	2 x 24"	ProSalt: optimisation of crude desalting
2008	ProSep Tech / Sonatrach	Sonatrach Bir Rebaa	2 x 10"	2 x 10"	ProSalt: optimisation of crude desalting
2008	Saudi Aramco	Shedgum	1 x 16"	1 x 16"	ProSalt: optimisation of crude desalting
2008	Pemex	Akal BN Cantarell	1 x 10"	1 x 10"	ProSalt: optimisation of crude desalting
2005	Statoil	Mongstad Refinery	1 x 14"	1 x 14"	ProSalt: optimisation of crude desalting
2003	Norsk Hydro	Grane	2 x 14 "	2 x 14 "	Optimisation of demulsifier
2001	Norsk Hydro	Emulsion treatment dev.	1 x 1"	1 x 1"	Optimisation of demulsifier

**Ctour Produced Water Treatment Experience List**  
**Dated June 2009**

<b>YEAR</b>	<b>CUSTOMER</b>	<b>PROJECT</b>	<b>NO. MIXERS</b>	<b>NO. / DIMENSIONS</b>	<b>APPLICATION</b>
2008	StatoilHydro	Snorre redevelopment project	1	12"	Liquid extraction
2002	Statoil	Statfjord B	1	4"	Liquid extraction
2006	Conoco Phillips	Ekofisk	2 2	6" 14"	Liquid extraction
2005	Statoil	Statfjord Late Life	1 10	14" 10"	Liquid extraction
2005	Statoil	Snorre A	1	14"	Liquid extraction
2005	PTTE & P	Shams Field in Oman	1	skid	H2S removal system
2005	Statoil	Statfjord A HP/LP	1 1	16" 12"	Liquid extraction
2005	Statoil	Statfjord B HP/LP	2	12"	Liquid extraction
2004	Statoil	Statfjord C HP	1	18"	Liquid extraction
2003	EPCON	Test unit for mixing	1	1"	Enhancement of flotation
2003	Norsk Hydro	Troll C	1	4"	Enhancement of flotation
2003	Statoil	Statfjord C LP	1	10 "	Liquid extraction
2002	Statoil	Heidrun	1	12"	Optimisation of flotation



**ProSep Inc.**

TOGETHER CREATING PURE OIL, GAS AND WATER

**TORR Produced Water Treatment Experience List**  
**Dated June 2009**

<b>YEAR</b>	<b>CUSTOMER</b>	<b>PROJECT</b>	<b>NO. UNITS</b>	<b>VOLUME</b>	<b>APPLICATION</b>
	Schlumberger	Schlumberger Well-Test Package			Unit under construction
	SK Engineering & Construction / Kuwait Oil Company (KOC)	Al-Burgan Oilfield / Gathering Centers			Produced Water Treatment: Deoiling / Desanding
	SK Engineering & Construction / Kuwait Oil Company (KOC)	Al-Maqwa Oilfield / Gathering Center #9			Produced Water Treatment: Deoiling / Desanding
	The Expro Group	Expro Group Africa Well-Cleanup Package			Well-Cleanup to 30 mg/L
	Wood Group Engineering / Hess	Bittern Field / Triton FPSO			Produced Water Polishing to 5 mg/L
	Wood Group Engineering / Hess	West Guillemot Field / Triton FPSO			Produced Water Polishing to 5 mg/L
	Wood Group Engineering / Hess Ltd.	Bittern & West Guillemot Common Line / Triton FPSO			Produced Water Polishing to 5 mg/L
	Weatherford International	Weatherford De-oiling Package			Produced Water Polishing to 5 mg/L
	Schlumberger / Petrobras	Schlumberger Well-Test Package, Brazil			Well-Testing / Produced Water Treatment
	Schlumberger /	Schlumberger Well-Test Package, West Africa			Well-Testing / Produced Water Treatment
	Rosetti Marino / ENI	Cervia A			Produced Water Polishing to 5 mg/L
	Tonghua Petroleum / China National Petroleum Corporation	Mobile Unit			Well-Cleanup and Maintenance